




## HUBEE pro

Station d'accueil **USB-C et USB-A 5K / 4K Multi-écran**  
**USB-C & USB-A 5K / 4K DOCKING STATION MULTI DISPLAY**

CONÇU POUR  
MADE FOR




Exigences système:  
System Requirements:  
Requisitos del sistema:

Ordinateurs avec pilotes DisplayLink  
Laptop with DisplayLink drivers  
Computadora con controladores DisplayLink

URBAN-FACTORY.COM

FOLLOW US  
On





## Fonctionnement du Multi-écran MULTI-SCREEN SETUP



X1			X2			
Resolution 5120*1440 (60Hz) 5K	Resolution 5120*2880 (60Hz) 5K	Resolution 4096*2160 (60Hz) 4K	Resolution 4096*2160 (60Hz) 4K	Resolution 4096*2160 (60Hz) 4K	Resolution 4096*2160 (60Hz) 4K	Resolution 4096*2160 (60Hz) 4K



## Spécifications techniques TECHNICAL FEATURES

### FR

- Compatible avec un ordinateur USB-C ou de type A.
- Prise en charge du port d'alimentation USB-C PD3.0 pour Upstream Charge de l'alimentation du portable jusqu'à 100 W.
- Prise en charge des ports DP V1.4x / Prise en charge des ports HDM V2.0x.
- Affichage simple en DP jusqu'à 5210 \* 2880p 60Hz (5K) ou HDMI jusqu'à 4096 \* 2160p 60Hz (4K).
- Prise en charge du double affichage, jusqu'à 4096 \* 2160p 60Hz (4K).
- Port intégré Gigabit Ethernet RJ-45 (10/100/ 1000 Ethernet).
- Prise Jack 3.5mm réservée à l'audio. (sortie)
- Prise Jack 3.5mm réservée au microphone. (entrée)
- Port de sécurité standard (compatible CRS11UF / CRS21UF / CRS78UF).
- 4 ports USB-A 3.0 et 2 ports USB-C 3.1 en 5Gbps.
- Alimentation de 130W fournie (100W (max) pour la charge du PC + 30W).
- Prise en charge des Os Windows 7/8/10 - Mac OSX 10/11 - Linux.

### EN

- Compatible with USB 3.1 Type C or Type A computer.
- Support USB-C PD3.0 power port for Upstream Charges laptop power up to 100 W.
- Support for DP V1.4x ports / Support for HDM V2.0x ports.
- Single display with DP port up to 5210 \* 2880p 60Hz (5K) or HDMI up to 54096 \* 2160p 60Hz (4K).
- Support dual display, up to 4096 \* 2160p 60Hz (4K).
- Integrated Gigabit Ethernet RJ-45 (10/100/ 1000 Ethernet) port.
- Jack 3.5mm reserved for audio. (Output)
- Jack 3.5mm reserved for the microphone. (Input)
- Standard security slot (CRS11UF / CRS21UF / CRS78UF compatible).
- 4 USB-A 3.0 ports and 2 USB-C 3.1 ports in 5Gbps.
- 130W power supply included (100W (max) for charging the PC + 30W).
- Support for OS Windows 7/8/10 - Mac OSX 10/11 - Linux.



# Station d'accueil **USB-C et USB-A 5K / 4K Multi-écran**

## USB-C & USB-A 5K / 4K DOCKING STATION MULTI DISPLAY

### FR

La conception de la **station d'accueil HUBEE PRO** est plate, stable et compacte afin d'offrir un encombrement réduit, elle est livrée avec une alimentation externe de 130Watts afin de vous offrir des performances optimales. **Cette station d'accueil prend en charge le double affichage** grâce aux pilotes **DisplayLink**. Elle prend en charge une résolution jusqu'à 4K 60Hz et si un seul écran DP est connecté, l'affichage atteindra une résolution en 5K 60Hz.

Les ports USB-A de la docking vous permettent d'étendre **l'utilisation de périphériques USB** comme un disque dur externe, un clavier, une souris, un casque ou encore un lecteur optique. **Le port Gigabit Ethernet intégré** vous permettra de télécharger rapidement des photos, des vidéos, de la musique ou d'autres fichiers. La HUBEE PRO fonctionne **avec les pilotes Display Link** afin de faciliter la prise en charge des écrans externes dans des environnements sécurisés. **Elle est compatible avec les ordinateurs en USB-C mais aussi en USB-A.**

### SPÉCIFICITÉ DES PORTS:

- 1. USB-C:** Puissance d'alimentation 100W en courant passant
- 2. Display Port Simple:** 5K/60Hz max.
- 3. Port HDMI Simple:** 4K/60Hz max.
- 4. Ports USB-A 3.0:** 5Gbps
- 5. Ports USB-C 3.1 Gen 1:** 5Gbps
- 6. RJ45:** Gigabit Ethernet 1000Mbps max
- 7. Prise Jack microphone:** 3.5mm
- 8. Prise Jack audio:** 3.5mm Stereo

**Supporte:** •PXE BOOT (La station doit être alimenté pour utiliser cette fonction)  
•PASSTHROUGH d'adresse mac

### EN

The design of the **HUBEE PRO docking station** is flat, stable and compact in order to offer a small footprint, it comes with an external power supply of 130Watts to offer you optimal performance. **This docking station supports dual display** thanks to **DisplayLink drivers**. It supports resolution up to 4K 60Hz and if only one DP monitor is connected, the display will reach 5K 60Hz resolution.

The USB-A ports of the docking allow you to **expand the use of USB peripherals** such as an external hard drive, keyboard, mouse, headphones or even an optical drive. The built-in **Gigabit Ethernet port** will allow you to quickly download photos, videos, music or other files.

The HUBEE PRO works with **the DisplayLink software** to facilitate the support of external displays in secure environments. **It is compatible with computers in USB-C but also in USB-A.**

### SPECIFICITY OF THE PORTS:

- 1. USB-C:** 100W Power Delivery pass thru
- 2. Single Display Port:** 5K / 60Hz max.
- 3. Single HDMI port:** 4K / 60Hz max.
- 4. USB-A 3.0 ports:** 5Gbps
- 5. USB-C 3.1 Gen 1 ports:** 5Gbps
- 6. RJ45:** Gigabit Ethernet 1000Mbps max
- 7. Jack socket microphone:** 3.5mm
- 8. Jack socket audio:** 3.5mm Stereo

**Support:** •PXE BOOT (The dock is powered when you use this function)  
•Mac address PASSTHROUGH



### ES

Estación de acoplamiento 5K / 4K multipantalla USB-A y USB-C.

### PT

Estação de acoplamento USB-A e USB-C multi-display 5K / 4K.

### IT

Docking station 5K/4K multi-display USB-A e USB-C.

### NL

Dockingstation 5K/4K multi-display USB-A en USB-C.

### DE

Dockingstation 5K/ 4K Multi-Display USB-A und USB-C.

Made in China & Managed in Paris.  
Carton recyclable - Recyclable board

**This Box contains:**  
- 1x USB-C & USB-A Docking Station Hubee pro  
- 1 x DC Power supply 130W  
- 1 x USB-C to USB-C cable & 1 x USB-C to USB-A cable  
- 1 User Guide

**Features:**  
- Operating Temperature: 0° to 40°C  
- Storage Temperature: -10° to 70°C  
- Max Display resolution: 5K @ 60Hz  
- Housing: Black ABS

Garantie 2 ans / 2 years warranty

### TECHNICAL SPECIFICATIONS

Name	HUBEE PRO: USB-C & USB-A 5K / Dual 4K DOCKING STATION WITH 100W POWER DELIVERY		
Compatibility	USB-C or USB-A computers with DisplayLink		
Reference	TCD50UF		
EAN 13	376017086112 8	UPC-A	88822 501712 2
Color	BLACK	Packing/carton	20pc SPCB:5pc
Dimensions in mm (without Packaging)	223*80*26mm	Dimensions in inch (without Packaging)	8.77*3.14*1.02
Dimensions in mm (with Packaging)	315*150*60mm	Dimensions in inch (with Packaging)	12.40*5.90*2.36
Weight in G (without Packaging)	890g	Weight in lb (without Packaging)	1.96lb
Weight in G (with Packaging)	1245g	Weight in lb (with Packaging)	2.74lb
Origin	CHINA		
Warranty	2 YEARS		

© 2021 Urban Factory, All rights reserved. All trade names are registered trademarks of respective manufacturers

**Exigences système:** Ordinateurs avec pilotes DisplayLink  
**System Requirements:** Laptop with DisplayLink drivers  
**Requisitos del sistema:** Computadora con controladores DisplayLink

<b>OPTION</b>	TYPE-C CABLE EXTENSION 1M	<b>TCE01UF</b>
---------------	---------------------------	----------------

URBAN-FACTORY.COM